

EN - Declaration of performance

1. Unique identification code of the product-type:		WS-T 7xL
2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):		See product label
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:		Drift pin for carrying wood connection Connection wood/steel and wood/wood
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):		SFS intec AG, Division Construction, Rosenbergsaustrasse 10, 9435 Heerbrugg, Switzerland
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):		Not relevant
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:		3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:  <ul style="list-style-type: none"> <li>name and identification number of the notified body:</li> <li>body, system for the assessment/verification of the constancy of performance:</li> <li>certificate of conformity of the factory production control:</li> </ul>		Technische Universität Graz, Lignum Test Center, 2103  3
8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:  <ul style="list-style-type: none"> <li>name and identification number of the Technical Assessment Body:</li> <li>harmonised technical specification:</li> <li>European Technical Assessment / approval:</li> <li>body, system for the assessment/verification of the constancy of performance:</li> <li>certificate of conformity of the factory production:</li> </ul>		
9. Declared performance		
Essential characteristics	Performance	Harmonised technical specification
characteristic yield moment	$M_{y,k} = 31,93 \text{ Nm}$	EN14592:2008+A1:2012
permanence	service class 1-2	
corrosion protection	> 5µm	
diameter	Ø = 7mm	
material	20MnB4 (1.5525) Wire rod, not hardened, meeting at least the requirements acc. to EN10025-2	
10. Ecology, health and safety information  <p>As per the EC regulation 1907/2006 (REACH) Article 31 a safety data sheet is not required for putting into circulation and placing on the market or using this item. If the item is used as intended and disposed of (disposal or recovery) as per the applicable legislation, the environment is not harmed.</p> <p>This item does not contain any substances that are released under normal conditions or foreseeable conditions of use. There are therefore no registration requirements for substances in this item in the context of Article 7 paragraph 1 of the regulation. Based on our current knowledge this item does not contain any SVHC (Substances of Very High Concern) in concentrations over 0.1 % (w/w) weight by weight as per the candidate list published by the European Chemicals Agency (ECHA).</p>		
11. Explanation  <p>The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacturer by:</p>		
<p><i>i. A. Fabian Mohr</i>  Fabian Mohr  Product Manager</p>		<p><i>Andreas Hettich</i>  Andreas Hettich  Unit Manager</p>
Place and date of issue:		Heerbrugg, 03.08.2020